

Appl. No.: 09/486,677  
Reply to March 21, 2006 Office Action  
Group Art Unit: 1621

### Remarks

The following remarks are responsive to the March 21, 2006 Office Action.  
Reconsideration is respectfully requested.

### Status of the Claims

Claims 10, 14-26 and 30 are pending.

### Rejection under 35 U.S.C. § 103(a)

Claims 10, 14-26 and 30 were rejected under 35 U.S.C. § 103(a) as being unpatentable over Japanese application No. 7-303825 (Tominaga) alone, or in view of U.S. Patent No. 4,731,378 (Naik) or U.S. Patent No. 4,999,041 (Grossman).

As stated by the Examiner, the object of Tominaga is to lower the pour point of a non-ionic surfactant obtained by random addition of 5-15 moles of ethylene oxide and 0.3-5.0 moles of propylene oxide to an alcohol containing at least 50%-60 wt. % of a saturated linear fatty C<sub>8-18</sub> alcohol. A pour point of 20-25°C or lower is disclosed.

Applicants maintain that there is no teaching, suggestion or motivation provided by Tominaga to (1) select the average number of EO units present in each random fatty alcohol alkoxylate to have a value of from about 3 to about 5, and (2) select the average number of PO units present in each random fatty alcohol alkoxylate to have a value of from about 2 to about 2.5. In addition, there is no disclosure whatsoever in Tominaga concerning (or exemplifying) a cold cloud point. The only disclosure of cold cloud point is in Applicants' disclosure. Therefore, Applicants maintain that there is no teaching, suggestion or motivation, in combination with selecting components (1) and (2), to achieve a cold cloud point below 0°C as claimed.

The Examiner alleges (page 6 of the Action) that "the cold cloud point is related to the low temperature behavior of the random polymers. Thus the cold cloud point . . .

Appl. No.: 09/486,677  
Reply to March 21, 2006 Office Action  
Group Art Unit: 1621

*appears to be similar to the pour point of Tominaga". Emphasis added.* Applicants respectfully assert that the Examiner incorrectly presumes that cold cloud point can be correlated to pour point. Cloud point may be defined as the temperature at which waxy solid material appears in a petroleum product as it is cooled. Pour point may be defined as the lowest temperature at which a liquid will flow. (See, definitions from *Hawley's Condensed Chemical Dictionary*, Twelfth Ed., Van Nostrand Reinhold Company, 1993). Based on the definitions, cloud point and pour point represent completely different properties, and therefore cannot be construed as having a reciprocal relation or as being interchangeable.

Based on the above definitions, cloud point is different than pour point. There is no disclosure whatsoever of cloud point (or cold cloud point) in Tominaga. The only disclosure of cold cloud point is provided by Applicants. In addition, there is no teaching or suggestion (express or implied) by Tominaga that the lower pour point results in a lower cloud point. The product of Tominaga is disclosed in the specification (page 2, lines 7-17) as tending to precipitate in storage at temperatures below 0°C. Thus, the lower pour point of Tominaga does not result in a cloud point below 0°C as claimed. Therefore, the allegations (page 6 of the Action) that "Tominaga . . . provides a teaching to use a cold cloud point below 0°C as claimed" and that "Tominaga . . . further motivates one to use lower cold cloud points" are unfounded.

Presuming, *arguendo*, that "Tominaga . . . teach[es] the ordinary skilled artisan to obtain non-ionic surfactants having good low temperature behavior and provides means for obtaining such" (alleged on page 6 of the Action), one skilled in the art still would not be led by Tominaga to achieve a cold cloud point below 0°C as claimed for reasons set forth above. The addition of Naik (relating to surfactants in agrochemicals and pesticides) or Grossman (relating to surfactants with herbicides) fails to remedy the deficiencies of Tominaga, each of which fails to teach, suggest or provide motivation to one skilled in the art at the time of the invention to select the claimed components (1)

Appl. No.: 09/486,677  
Reply to March 21, 2006 Office Action  
Group Art Unit: 1621

and (2) to achieve a cold cloud point below 0°C as claimed with any reasonable expectation of success. Therefore, in view of the lack of express or implied teaching, suggestion or motivation from Tominaga, when considered individually or in combination with Naik or Grossman to select the claimed components (1) and (2) to achieve a cold cloud point below 0°C as claimed, a *prima facie* case of obviousness has not been made. The invention of Claims 10, 14-26 and 30 is not rendered obvious in view of the cited references, and the rejection should be withdrawn. Reconsideration and withdrawal of the rejection are respectfully requested.

#### Fees

No fees are believed due, but the Commissioner is authorized to charge (or credit any balance) any fees deemed due (or owing) to Deposit Account No. 50-1177.

#### Conclusion

It is respectfully submitted that Claims 10, 14-26 and 30 are in condition for allowance. A Notice of Allowance is respectfully requested. If anything further is needed to advance the allowance of this application, the Examiner is urged to contact Applicants' attorney at the telephone number indicated below.

Respectfully submitted,

\_\_\_\_\_  
June 20, 2006

Date

Cognis Corporation, Patent Dept.  
300 Brookside Avenue  
Ambler, PA 19002

\_\_\_\_\_  
Jane E. Alexander  
(Reg. No. 36,014)  
Attorney for Applicants  
Telephone: (215) 628-1474  
Facsimile: (215) 628-1345

Enclosure: *Hawley's Condensed Chemical Dictionary*, Twelfth Ed., Van Nostrand Reinhold Company, 1993, pgs. 289 & 960

*Hawley's*  
*Condensed Chemical*  
*Dictionary*

**TWELFTH EDITION**

*Revised by*  
Richard J. Lewis, Sr.



VAN NOSTRAND REINHOLD COMPANY  
New York

Copyright © 1993 by Van Nostrand Reinhold

Library of Congress Catalog Card Number 92-18951  
ISBN 0-442-01131-8

All rights reserved. Certain portions of this work © 1930, 1920, 1919 by The Chemical Catalog Co., Inc., and 1987, 1981, 1977, 1971, 1966, 1956, 1950 by Van Nostrand Reinhold. No part of this work covered by the copyright hereon may be reproduced or used in any form or by any means—graphic, electronic, or mechanical, including photocopying, recording, taping, or informational storage and retrieval systems—without written permission of the publisher.

Printed in the United States of America

Published by Van Nostrand Reinhold  
115 Fifth Avenue  
New York, NY 10003

Chapman and Hall  
2-6 Boundary Row  
London, SE1 8HN

Thomas Nelson Australia  
102 Dodds Street  
South Melbourne 3205  
Victoria, Australia

Nelson Canada  
1120 Birchmount Road  
Scarborough, Ontario M1K 5G4, Canada

16 15 14 13 12 11 10 9 8 7 6 5 4 3 2 1

Library of Congress Cataloging-in-Publication Data

Condensed chemical dictionary.

Hawley's condensed chemical dictionary.—12th ed./revised by  
Richard J. Lewis, Sr.

p. cm.

ISBN 0-442-01131-8

I. Chemistry—Dictionaries. I. Hawley, Gessner Goodrich, 1905-1983

II. Lewis, Richard J., Sr. III. Title.

QD5.C5 1992

540'.3—dc20

92-18951

CIP

peas, berries,

on complex in  
ance are com-  
her, as argon  
rea adducts are  
annel or canal  
a crystals wrap  
substance, usu-  
d aliphatic hy-  
re formed with

production of  
1 gas is made to  
ngine and thus

between den-  
lectrics.

te. Generalized  
onent of soils

d crystals rang-  
1 micron (col-  
pale buff, de-  
approximately  
ganic solvents;  
plastic, mold-  
thixotropic gel  
strong ion-ex-  
soil chemistry

oming, Texas,  
atapulgit, il-

d.  
ose and throat,  
ard.  
ries, colloidal  
ids, filler for  
is, paper coal-  
molds, filtra-  
catalyst sup-

ramic, refrac-  
osilicate graft

k or separate  
the crystalline  
irection, as in  
e molecule, to  
ehydes or ke-  
s usually done

by ozone followed by hydrolysis in the presence  
of powdered zinc.

**Cleland's reagent.** See dithiothreitol.

**Clemmensen reaction.** The Clemmensen method  
of reduction (1913) consists in refluxing a ketone  
with amalgamated zinc and hydrochloric acid.  
Acetophenone, for example, is reduced to ethyl-  
benzene. The method is applicable to the reduc-  
tion of most aromatic-aliphatic ketones to at  
least some aliphatic and alicyclic ketones, to the  
 $\gamma$ -keto acids obtainable by Friedel-Crafts con-  
densations with succinic anhydride (succinolya-  
tion), and to the cyclic ketones formed by intra-  
molecular condensation.

**Cleveland Open Cup.** See COC.

**Cleve's acid.** (1-naphthylamine-6-sulfonic acid).  
Properties: Colorless needles, slightly soluble in  
water, mp  $> 330^{\circ}\text{C}$ .

Derivation: Nitration of naphthalene- $\beta$ -sulfonic  
acid. On reduction with iron, this yields a mix-  
ture of 1-naphthylamine-6-sulfonic acid (Cleve's  
acid) and 1-naphthylamine-7-sulfonic acid (or  
Cleve's acid-1,7). The latter is separated by crys-  
tallization as the sodium salt, the 1,6-acid pre-  
cipitates on acidification.  
Use: Azo-dye intermediate.

**Cleve's acid-1,7** (1-naphthylamine-7-sulfonic  
acid).  
See Cleve's acid.

**cliffstone Paris white.** A special grade of whiting  
made from a hard grade of English chalk.

**clinical chemistry.** A subdivision of chemistry  
that deals with the behavior and composition of  
all types of body fluids, including the blood,  
urine, perspiration, glandular secretions, etc. It  
involves analysis and testing of these for content  
of numerous metabolic constituents as well as  
foreign materials; thus, it also includes toxico-  
logical factors.

**clinoptilolite.** A natural, inorganic zeolite used  
as a selective ion-exchange medium for removal  
of ammonia from plant waste water.

**clomiphene.** See 1-chloro-2-(4-diethylamino-  
ethoxyphenyl)-1,2-diphenylethylene.

**clopido.** (3,5-dichloro-2,6-dimethyl-4-pyridino  
l; Coyden). CAS: 2971-90-6.

$\text{C}_7\text{H}_7\text{Cl}_2\text{NO}$ . A penta-substituted pyridine de-  
rivative.

Properties: A solid with mw 192.06, mp  $> 320^{\circ}\text{C}$ .  
Insoluble in water.

Hazard: Toxic. TLV: 10 mg/m<sup>3</sup>.

**cloud point.** In petroleum technology, the tem-  
perature at which a waxy solid material appears  
as a diesel fuel is cooled. This material is harm-  
ful to engine performance.

**cloud seeding.** See nucleation.

**clove oil.** (caryophyllus oil). An essential oil  
distilled from cloves. Optically active.  
Use: Medicine (local), flavoring, dentistry, per-  
fumery, confectionery, soaps.

**clupanodonic acid.**  $\text{C}_{21}\text{H}_{33}\text{COOH}$ . Derived  
from herring oil.

**clupeine.** A protamine (simple protein) from her-  
ring. Contains no sulfur.  
Properties: Water-soluble.

**cluster catalysis.** See under catalysis.

**Cm.** Symbol for curium.

**"CM" [Du Pont].** TM for a flame-retardant  
composition based on ammonium sulfamate  
and modified to prevent afterglow and to im-  
prove penetration.

Properties: Fine, white granules; soluble in  
water; insoluble in dry-cleaning solvents.  
Use: Treatment of fabrics, paper, paper prod-  
ucts, and other cellulosic materials.

**CMA.** Abbreviation for Chemical Manufactur-  
ers Association.

**CMC.** See carboxymethylcellulose.

**CM-cellulose.** Abbreviation for carboxymeth-  
ylcellulose, used especially by biochemists.

**CMHEC.** Abbreviation for carboxymethyl hy-  
droxyethyl cellulose.

**CMP.** Abbreviation for cytidine monophos-  
phate. See cytidylic acid.

**CMPP.** Abbreviation for 2-(4-chloro-2-methyl-  
phenoxy)propionic acid.  
See mecoprop.

**CMRA.** Abbreviation for Chemical Marketing  
Research Association.

**CMU.** Abbreviation for chlorophenyldimethyl-  
urea.  
See monuron.

**CNS.** Abbreviation for central nervous system  
(applied to the action of certain drugs).

**Co.** Symbol for cobalt.

## POTASSIUM TITANATE FIBER

960

**potassium titanate fiber.** Approximate composition  $K_2O \cdot (TiO_2)_n$  where  $n$  is 4-7.

Properties: High refr index, mp 1371°C, can diffuse and reflect infrared radiation.

Use: Rockets, missiles, nuclear-powered applications as an insulator, especially for the range 1300-2100°F.

**potassium titanium fluoride.** See titanium potassium fluoride.

**potassium titanium oxalate.** See titanium potassium oxalate.

**potassium trichlorophenate.**  $Cl_3C_6H_4OHK$ .

Offered as a solution containing 47% potassium trichlorophenate, and 3% other potassium chlorophenates, d 1.3, fp -9°C.

Use: Slime control agent for pulp and paper mill systems.

**potassium tripolyphosphate.** (KTPP).  $K_3P_3O_{10}$ .

Properties: White, crystalline solid; mp 620-640°C; d 2.54; loose bulk d 67 lb/cu/ft; solubility in water (26°C) more than 140 g/100 mL water.

Use: Water-treating compounds, cleaners, specialty fertilizers, sequestrant.

**potassium trithiocarbonate.** See potassium sulfocarbonate.

**potassium tungstate.** (potassium orthotungstate; potassium wolframate). CAS: 7790-60-5.  $K_2WO_4 \cdot 2H_2O$ .

Properties: Heavy crystalline powder, d 3.1, mp 921°C, deliquescent, soluble in water, insoluble in alcohol.

**potassium undecylenate.**  $CH_2=CH(CH_2)_9COOK$ .

Properties: Finely divided white powder, decomposes above 250°C, limited solubility in most organic solvents, soluble in water.

Hazard: Toxic in high concentration.

Use: Bacteriostat and fungistat in cosmetics and pharmaceuticals.

**potassium wolframate.** See potassium tungstate.

**potassium xanthate.** (potassium ethyldithiocarbonate; potassium xanthogenate; potassium ethyl xanthate; potassium ethylxanthogenate). CAS: 140-89-6.  $KS_2COC_2H_5$ .

Properties: Colorless or light yellow crystals, soluble in water and alcohol, insoluble in ether, d 1.558 (21.5°C).

Derivation: Reaction of potassium ethylate and carbon disulfide.

Hazard: Toxic by ingestion.

Use: Fungicide for soil treatment, reagent in analytical chemistry.

**potassium zinc iodide.** (zinc potassium iodide).  $ZnI_2 \cdot KI$ .

Properties: Colorless crystals, very hygroscopic.

Use: Analysis (testing for alkaloids).

**potassium zinc sulfate.** See zinc potassium sulfate.

**potassium zirconium fluoride.** See zirconium potassium fluoride.

**potassium zirconium chloride.** See zirconium potassium chloride.

**potassium zirconium sulfate.** See zirconium potassium sulfate.

**potentiator.** A term used in the flavor and food industries to characterize a substance that intensifies the taste of a food product to a far greater extent than does an enhancer. The most important of these are the 5'-nucleotides. They are approved by the FDA. Their effective concentration is measured in parts per billion, whereas that of an enhancer such as MSG is in parts per thousand. The effect is thought to be due to synergism. Potentiators do not add any taste of their own, but intensify the taste response to substances already present in the food. See also enhancer; seasoning; flavor.

**pot life.** See adhesive working life.

**potting compound.** See encapsulation.

**pour point.** (1) The lowest temperature at which a liquid will flow when a test container is inverted. (2) The temperature at which an alloy is cast.

**pour point depressant.** An additive for lubricating and automotive oils that lowers the pour point (or increases the flow point) by 11.0°C. The agents now generally used are polymerized higher esters of acrylic acid derivatives. They are most effective with low-viscosity oils.

**powder.** Any solid, dry material of extremely small particle size ranging down to colloidal dimensions, prepared either by comminuting larger units (mechanical grinding), by combustion (carbon black, lamp-black), or by precipitation via a chemical reaction (calcium carbonate, etc.). Powders that are so fine that the particles cannot be detected by rubbing between thumb and forefinger are called impalpable. Typical materials used in powder form are cosmetics, inorganic pigments, metals, plastics (molding powders), dehydrated dairy products, pharmaceuticals, and explosives. Metal powders are used to make specialized equipment by sintering.

**This Page is Inserted by IFW Indexing and Scanning  
Operations and is not part of the Official Record**

**BEST AVAILABLE IMAGES**

Defective images within this document are accurate representations of the original documents submitted by the applicant.

Defects in the images include but are not limited to the items checked:

- ☒ **BLACK BORDERS**
- ☐ **IMAGE CUT OFF AT TOP, BOTTOM OR SIDES**
- ☐ **FADED TEXT OR DRAWING**
- ☐ **BLURRED OR ILLEGIBLE TEXT OR DRAWING**
- ☐ **SKEWED/SLANTED IMAGES**
- ☐ **COLOR OR BLACK AND WHITE PHOTOGRAPHS**
- ☐ **GRAY SCALE DOCUMENTS**
- ☐ **LINES OR MARKS ON ORIGINAL DOCUMENT**
- ☐ **REFERENCE(S) OR EXHIBIT(S) SUBMITTED ARE POOR QUALITY**
- ☒ **OTHER:** \_\_\_\_\_

**IMAGES ARE BEST AVAILABLE COPY.**

**As rescanning these documents will not correct the image problems checked, please do not report these problems to the IFW Image Problem Mailbox.**